


AD-A285 893



(B)
(2)



Final Technical Report
for the
Office of Naval Research
Grant No. N00014-93-1-0441

Submitted by
The Center for Coastal Studies
Provincetown, Mass.

October 1994

This document has been
for public release and
distribution is unlimited

94-33893



488

94 11

1 072



CENTER FOR COASTAL STUDIES

A Private Non-Profit Organization for Research, Education and Conservation in the Coastal & Marine Environments

59 Commercial Street • P. O. Box 1036 • Provincetown, Massachusetts 02657 • Telephone: (508) 487-3622

October 24, 1994


Defense Technical Information Center
Building 5, Cameron Station
Alexandria, Virginia 22304-6145

Re: ONR Grant No. N00014-93-1-0441

Dear Sir:

Enclosed please find three copies of the Final Technical Report for ONR Grant No. N00014-93-1-0441. If you have any questions regarding this report please contact the Principal Investigator, Dr. Charles A. Mayo at (508) 487-3622. Thank you for your assistance and patience with regard to this grant.

Sincerely,



David L. DeKing
Executive Director

Enclosure

cc: Office of Naval Research, Boston Regional Office

Introduction

The Office of Naval Research under grant number N00014-93-1-0441 provided support to the Center for Coastal Studies for the purchase of equipment and software to aid in the development of field and laboratory protocols for the studying the behavior of large whales. Here we report on progress in the development of techniques associated with the study of whale behavior in combination with the collection of data on the movement patterns of whales, human activities, and oceanographic conditions, a Multivariable Collection Protocol or MCP. The focus of this report is the development of field and laboratory techniques to determine the variables, to design a protocol for field collection, to apply the real time sonagraphic software to collected vocalizations, and to develop a simplified catalog of sounds. The field and laboratory protocols were developed to (1) permit the simple and inexpensive collection of descriptive information surrounding each observation, (2) yield an analysis which would either suggest or confirm the relationship among the selected variables of the many which affect whale behavior, and (3) provide baseline information on the variables permitting a detailed comparative analysis of whale behavior.

Specifically, the equipment purchased under the grant was intended to support the development of the field protocols for (1) documentation of whale vocalizations and (2) management of all incoming data via data loggers. Additional equipment and software was purchased for laboratory analysis of vocal behavior and for integration of observations and analysis using statistical package. This report, therefore is focused on audio documentation, the development of simple field synchronization techniques, and, particularly, on the application of real time sonagraphic software to the development of a simple key - based catalog of sounds.

Field Collection

A-1

For the development of the MCP we chose to collect information on the right whale both because this species is poorly understood and because the severely depleted condition of the population makes an understanding of the activity patterns of the species of paramount conservation significance.

Cape Cod Bay, the area where our studies have been ongoing since 1984, has long been known as a habitat where right whales feed and socialize in the winter and early spring. The Bay, therefore, was recommended in the Final Recovery Plan for the Northern Right Whale (*Eubalaena glacialis*) (National Marine Fisheries Service, 1991) for designation as a critical habitat and so declared in the summer of 1994. Each year since 1984 we have observed as many as 50 right whales in Cape Cod and Massachusetts Bays, primarily in the winter and early spring, feeding and caring for their young (Hamilton and Mayo, 1990). The eastern part of the embayment where small groups of right whales actively feed at or near the surface is particularly rich in seasonally abundant phyto- and zooplankton resources which may attract the whales to the region. In this area of the eastern Bay we documented the surface activity of groups of socializing whales and while collecting basic information on the food resources of the area for combination with data on the vocalization of the whales and information on vessel movement. To develop and test documentation techniques we collected synchronized video and audio recordings coupled with data logging of oceanographic and biological information. Of these observations, we concentrated our development efforts on two particularly rich (and, therefore, challenging from a data management perspective) video-audio segments and associated documentation collected on 26 March 1993 and 31 March 1993, a total of 1.9 hours in duration. The behavioral information was combined with data from oceanographic observations and collections of zooplanktonic foods to yield a raw data set available for analysis.

Laboratory Analysis

In the laboratory, we developed the functional interfaces between the DAT recorder used for field recording of underwater sounds, an analog tape player/recorder used for creating working sound sources, a 486/33 PC running Real Time Sonographic (RTS) software obtained from Engineering Design, Belmont, MA, and a laser printer. Using these systems it was possible to operate the audio tape and the RTS side-by-side permitting the running display of individual audio event spectrograms vs. time and comparing these with behaviors available from a data logger running event recording software developed at CCS. It was also possible to run video segments synchronized with the audio record and RTS sonographic display to demonstrate the association between observed surface behavioral events and the acoustic record. Through the use of the event and data recording software, we were able to thereby associate the

disparate data bases (see figure 1) from several sources to create the prototype Multivariable Collection Protocol.

Variables

The variables selected for documentation fell into the broad database categories listed in figure 1. For the purposes of this contract, the focus of our development effort was the design of a system for recording and analyzing whale vocalizations compatible with the documentation techniques used for the collection of data for other databases. It was necessary, therefore, to create a collection technique (see below) which permitted the construction of a real - time comparison of incoming sounds with other databases and to initially categorize and process the acoustic information according to simple catalogs to demonstrate that vocal activity could be documented and compared to other data streams. Fundamental to this approach was the development of methods for application of the Real Time Sonagraphic software (Engineering Design, Belmont, MA) to collected data. Subsequently, with RTS running, we proceeded to collect sonograms of right whale vocal activity analyzed from time synchronized audio and video tapes for the purposes of developing a simplified catalog of vocalizations. Development of the components of the vocalization study were accomplished with the aid of several interns and staff members: Margaret Murphy (field recording techniques), Janet Doherety (RTS use), and Dara Wambach and Nicky Spencer (cataloging).

Results

Examples of the simple descriptive techniques used for the MCP audio database are given in Appendices I and II. The numerically described type sounds are exemplified by the first 10 sonograms in Appendix III and described in Appendix IV.

In addition to the development of a simplified, hierarchical catalog, the collation of data from one observation is presented in the example found in Appendix V.

Continued Work

The development started with the protocols described here will continue to focus on the streamlining of field data collection from the variety of different sources. In particular, we are endeavoring to streamline the field logging by employing pen-based computers

MCP: databases and sources

- Behavioral Observations (video to data log)
- Vessel Activity (direct data log)
- Vocal Behavior (hydrophone to tape to log)
- Orientation (direct data log)
- Oceanographic Data (direct CTD log)
- Biological Data (hand record; field collection)
- Environmental Observations (hand record)
- Demographics/Genetics (photo to catalogs)
- Historic Data (photo to CCS/NEA database)

Figure 1

and programs which mimic those used to date but which do not require key entry. Further incorporation of more complete catalogs of both vocal and surface behaviors and the development of similar descriptions for other species of marine mammals also will be the focus of future work. At its present level of development, we have begun to use MCP to develop a database for the assessment of the effects of environmental conditions on whale behavior in the Stellwagen Sanctuary and the Cape Cod Bay Critical Habitat.


Applications

Although still in the development stage, this holistic approach to the development of baseline data for the documentation of the principal effecting variables influencing the behavior of whales offers considerable promise. Because this documentation protocol is based on simple and inexpensive techniques, the collection of the volume of data needed to develop the baseline information for comparative studies is possible.

Further, the template which this protocol suggests includes a variety of oceanographic and environmental parameters which permit the placement of the behavioral observations in the larger context of the observations.

The applications of a holistic, multidisciplinary approach to field behavioral observations are many. Generally these techniques, with the extensive baseline data to support them should considerably improve our ability to design the comparative studies critical to our understanding of the activities of whales in the ocean system and the influences on them. A variety of study areas are suggested: (1) measurement of important characteristics of critical habitats, (2) determination and modeling the effects of a wide variety of human activities on marine mammals, (3) investigation of questions involving the social character of whale populations, and (4) characterization of basic behavior patterns such as foraging, social interaction, and nursery in the context of environmental conditions.


H28102.CNW: Plot Label



Appendix I
Right Whale Vocalization: Proposed Taxonomic
Structure
by
Nicky Spencer

Right Whale Acoustics

KEY LITTLE WHITE TO ESTABLISH AROUND
CATEGORIZATION OF SOUND, WITHIN WHICH
SPECIES CAN BE REFINED)



Q #

- SUBSIDY
TOGETHER CALLS. SAYS
- DOWN CALL
- UNBOLTING CALL
- MAINTENANCE. BLOW
- UPCALL — UP & DOWN
UP TAKEN

HAUS H2SC B SIOE1

TOGETHER CALL. SWAPS (T.C.S) IS SUBORDER #1 CONSISTING OF WHAT WERE PREVIOUSLY
CLASSIFIED AS LOW CALLS. SOUNDS THAT APPEAR TO BE ~~LINKED~~ LINKED SUCH AS
SMALL CLICKS.

TOGETHER CALLS FAMILIES CONSIST OF (2 CHIRPS) #1 (<2 CHIRPS) #2 + CUCKS #3.
SLAPS.

Types call for T.C IS ~~956~~ 196 : FILENAME L112TCIM.M6

2500

#1 (2 CHIRFS)

Types
196 ~ 261 ~ 111 ~
274/5 ~ 340 ~ 437 ~
549 ~ 635 ~ 661 ~

1745-71

17300 1 6041

100

4-5-1 0 2 4

634 + 177 +

574 11 463 4

269/70 a 635 a

4624

#2 (2 CIPHERS)

453 - ← 453 -

۸۰۰ -

443 "ب

SECRET

—

1

15.

54

1

HALS H2503 SIDE 1

DOWN CALL (D.C.) IS SUBORDER NO. 2 CONSISTING OF A GROUP OF UNDIFFERENTIATED CALLS THAT ON A FREQ/TIME RUN A HIGH-LOW GENERAL COURSE. DOWN CALL FAMILIES CONSIST OF: PURE, #1, THROATY #2, CROAK #3 $\frac{1}{2}$ CROAK $\frac{1}{2}$ PURE OR HALF #4.

THE TYPE CALL FOR DOWN CALLS IS 470. IT IS OF THE FAMILY HALF.

FILENAME: L240CH1H.470

SUBORDER #


FAMILY #

470: FREQ AS SOUND BEGINS: 859.38
" " ENDS: 781.25

DURATION: 0.311 SECS.

2. D.C.


1. PURE



2. THROATY

420 500

3. CROAK 3. 330 420




HALOS H25013 SLOG 1.

UNDULATING CALL (UND.C) IS SUBORDER #3 CONSISTING OF A LARGE UNDIFFERENTIATED GROUP OF CALLS THAT ON A CRYING FREQUENCY SCALE RUN ON A RELATIVELY FLAT COURSE WITH ~~UNDUL~~ RISES + FALLS IN FREQUENCY. ~~THE~~ UNDULATING CALL FAMILIES CONSIST OF: PURE #1, HALF #2, CROAK #3, THROATY #4

THE TYPE CALL FOR UNDULATING CALLS IS 273. IT IS OF THE FAMILY CROAK.




FILENAME: L33UNC1H.273



273. FREQ AS SOUND BEGINS: 656.25

" " " ENDS: 765.63

DURATION: 1.375 sec.




371



HAWS HZSO 6 SIDE 1

MAINTENANCE BLOW (MAI.B) IS SUBORDER #4.

FAMILIES: LOUD BLOW #1
AVERAGE BLOW #2
SOFT BLOW #3

TYPE CALL: 124 

FILENAME: ~~124~~ L42 BLA1H.124

L. MAI.B

1. LOUD BLOW

STANDARD NOTATION



198, 630-1
632, 634
644, 1

2. BLOW

STANDARD NOTATION



183, 176, 208
229, 290, 253,
267, 272, 280
298, 303, 310
315, 333, 455⁷
460², 463³, 472⁴
478, 573, 578⁹
592, 648
660 within other sound
124 TYPE

3. SOFT BLOW

← AVERAGE



191, 379^{or} 602,
626, 628, 628
344

HALOS H250G 5.1061.

UPCALL (UPC) IS SUBORDER #3 CONSISTING OF A GROUP OF LOW FREQUENCY (100-200) CALLS THAT ON A CLOSE SCALE OF FREQUENCY RUN A GENERAL LOW - HIGH WIGGLE. UP CALL FAMILIES CONSIST OF: PURE #1, HALF #2, CRACK #3 AND A MORE DISTANT GROUP OF SCOOP #4 CALL THAT ARE SOUND PARTICULARLY LOW AND SCOUT.

PURE, HALF AND CRACK ARE UPCALL TAILED TYPE 220. FILENAME: L520P71H.220

SCOOP: UPCALL SCOOP TYPE 224. FILENAME: L540SC1.1.229

UPC TAILED: FREQ AS SOUND BEGINS: 113.23 | UPC SCOOP: FREQ AS SOUND BEGINS: 179.13
 " " " " END: 375.91 | " " " " END: 500.00
 DURATION: 1.593 SECS | DURATION: 0.914 SECS

5. UPC TAILED

1. PURE

108 ✓ 110 ✓ 210 ✓ 224 ✓ 225 ✓ 23 ✓
 282 ✓ 348 ✓ 463 ✓ 465 ✓ 57-5 ✓
 576 ✓ 598 ✓ 627-8 ✓ 644 ✓
 644-5 ✓ 647 ✓ 663 ✓ 292 ✓ 300 ✓
 213 ✓ 473 ✓ 4624 ✓ 663 ✓ 574 ✓

220 ✓ 221 ✓ 222 ✓ 223 ✓ 224 ✓ 225 ✓
 226 ✓ 227 ✓ 228 ✓ 229 ✓ 230 ✓ 231 ✓
 232 ✓ 233 ✓ 234 ✓ 235 ✓ 236 ✓ 237 ✓
 238 ✓ 239 ✓ 240 ✓ 241 ✓ 242 ✓ 243 ✓
 244 ✓ 245 ✓ 246 ✓ 247 ✓ 248 ✓ 249 ✓
 250 ✓ 251 ✓ 252 ✓ 253 ✓ 254 ✓ 255 ✓
 256 ✓ 257 ✓ 258 ✓ 259 ✓ 260 ✓ 261 ✓
 262 ✓ 263 ✓ 264 ✓ 265 ✓ 266 ✓ 267 ✓
 268 ✓ 269 ✓ 270 ✓ 271 ✓ 272 ✓ 273 ✓
 274 ✓ 275 ✓ 276 ✓ 277 ✓ 278 ✓ 279 ✓
 280 ✓ 281 ✓ 282 ✓ 283 ✓ 284 ✓ 285 ✓
 286 ✓ 287 ✓ 288 ✓ 289 ✓ 290 ✓ 291 ✓
 292 ✓ 293 ✓ 294 ✓ 295 ✓ 296 ✓ 297 ✓
 298 ✓ 299 ✓ 300 ✓ 301 ✓ 302 ✓ 303 ✓
 304 ✓ 305 ✓ 306 ✓ 307 ✓ 308 ✓ 309 ✓
 310 ✓ 311 ✓ 312 ✓ 313 ✓ 314 ✓ 315 ✓
 316 ✓ 317 ✓ 318 ✓ 319 ✓ 320 ✓ 321 ✓
 322 ✓ 323 ✓ 324 ✓ 325 ✓ 326 ✓ 327 ✓
 328 ✓ 329 ✓ 330 ✓ 331 ✓ 332 ✓ 333 ✓
 334 ✓ 335 ✓ 336 ✓ 337 ✓ 338 ✓ 339 ✓
 340 ✓ 341 ✓ 342 ✓ 343 ✓ 344 ✓ 345 ✓
 346 ✓ 347 ✓ 348 ✓ 349 ✓ 350 ✓ 351 ✓
 352 ✓ 353 ✓ 354 ✓ 355 ✓ 356 ✓ 357 ✓
 358 ✓ 359 ✓ 360 ✓ 361 ✓ 362 ✓ 363 ✓
 364 ✓ 365 ✓ 366 ✓ 367 ✓ 368 ✓ 369 ✓
 370 ✓ 371 ✓ 372 ✓ 373 ✓ 374 ✓ 375 ✓
 376 ✓ 377 ✓ 378 ✓ 379 ✓ 380 ✓ 381 ✓
 382 ✓ 383 ✓ 384 ✓ 385 ✓ 386 ✓ 387 ✓
 388 ✓ 389 ✓ 390 ✓ 391 ✓ 392 ✓ 393 ✓
 394 ✓ 395 ✓ 396 ✓ 397 ✓ 398 ✓ 399 ✓
 400 ✓ 401 ✓ 402 ✓ 403 ✓ 404 ✓ 405 ✓
 406 ✓ 407 ✓ 408 ✓ 409 ✓ 410 ✓ 411 ✓
 412 ✓ 413 ✓ 414 ✓ 415 ✓ 416 ✓ 417 ✓
 418 ✓ 419 ✓ 420 ✓ 421 ✓ 422 ✓ 423 ✓
 424 ✓ 425 ✓ 426 ✓ 427 ✓ 428 ✓ 429 ✓
 430 ✓ 431 ✓ 432 ✓ 433 ✓ 434 ✓ 435 ✓
 436 ✓ 437 ✓ 438 ✓ 439 ✓ 440 ✓ 441 ✓
 442 ✓ 443 ✓ 444 ✓ 445 ✓ 446 ✓ 447 ✓
 448 ✓ 449 ✓ 450 ✓ 451 ✓ 452 ✓ 453 ✓
 454 ✓ 455 ✓ 456 ✓ 457 ✓ 458 ✓ 459 ✓
 460 ✓ 461 ✓ 462 ✓ 463 ✓ 464 ✓ 465 ✓
 466 ✓ 467 ✓ 468 ✓ 469 ✓ 470 ✓ 471 ✓
 472 ✓ 473 ✓ 474 ✓ 475 ✓ 476 ✓ 477 ✓
 478 ✓ 479 ✓ 480 ✓ 481 ✓ 482 ✓ 483 ✓
 484 ✓ 485 ✓ 486 ✓ 487 ✓ 488 ✓ 489 ✓
 490 ✓ 491 ✓ 492 ✓ 493 ✓ 494 ✓ 495 ✓
 496 ✓ 497 ✓ 498 ✓ 499 ✓ 500 ✓ 501 ✓
 502 ✓ 503 ✓ 504 ✓ 505 ✓ 506 ✓ 507 ✓
 508 ✓ 509 ✓ 510 ✓ 511 ✓ 512 ✓ 513 ✓
 514 ✓ 515 ✓ 516 ✓ 517 ✓ 518 ✓ 519 ✓
 520 ✓ 521 ✓ 522 ✓ 523 ✓ 524 ✓ 525 ✓
 526 ✓ 527 ✓ 528 ✓ 529 ✓ 530 ✓ 531 ✓
 532 ✓ 533 ✓ 534 ✓ 535 ✓ 536 ✓ 537 ✓
 538 ✓ 539 ✓ 540 ✓ 541 ✓ 542 ✓ 543 ✓
 544 ✓ 545 ✓ 546 ✓ 547 ✓ 548 ✓ 549 ✓
 550 ✓ 551 ✓ 552 ✓ 553 ✓ 554 ✓ 555 ✓
 556 ✓ 557 ✓ 558 ✓ 559 ✓ 560 ✓ 561 ✓
 562 ✓ 563 ✓ 564 ✓ 565 ✓ 566 ✓ 567 ✓
 568 ✓ 569 ✓ 570 ✓ 571 ✓ 572 ✓ 573 ✓
 574 ✓ 575 ✓ 576 ✓ 577 ✓ 578 ✓ 579 ✓
 580 ✓ 581 ✓ 582 ✓ 583 ✓ 584 ✓ 585 ✓
 586 ✓ 587 ✓ 588 ✓ 589 ✓ 590 ✓ 591 ✓
 592 ✓ 593 ✓ 594 ✓ 595 ✓ 596 ✓ 597 ✓
 598 ✓ 599 ✓ 600 ✓ 601 ✓ 602 ✓ 603 ✓
 604 ✓ 605 ✓ 606 ✓ 607 ✓ 608 ✓ 609 ✓
 610 ✓ 611 ✓ 612 ✓ 613 ✓ 614 ✓ 615 ✓
 616 ✓ 617 ✓ 618 ✓ 619 ✓ 620 ✓ 621 ✓
 622 ✓ 623 ✓ 624 ✓ 625 ✓ 626 ✓ 627 ✓
 628 ✓ 629 ✓ 630 ✓ 631 ✓ 632 ✓ 633 ✓
 634 ✓ 635 ✓ 636 ✓ 637 ✓ 638 ✓ 639 ✓
 640 ✓ 641 ✓ 642 ✓ 643 ✓ 644 ✓ 645 ✓
 646 ✓ 647 ✓ 648 ✓ 649 ✓ 650 ✓ 651 ✓
 652 ✓ 653 ✓ 654 ✓ 655 ✓ 656 ✓ 657 ✓
 658 ✓ 659 ✓ 660 ✓ 661 ✓ 662 ✓ 663 ✓
 664 ✓ 665 ✓ 666 ✓ 667 ✓ 668 ✓ 669 ✓
 670 ✓ 671 ✓ 672 ✓ 673 ✓ 674 ✓ 675 ✓
 676 ✓ 677 ✓ 678 ✓ 679 ✓ 680 ✓ 681 ✓
 682 ✓ 683 ✓ 684 ✓ 685 ✓ 686 ✓ 687 ✓
 688 ✓ 689 ✓ 690 ✓ 691 ✓ 692 ✓ 693 ✓
 694 ✓ 695 ✓ 696 ✓ 697 ✓ 698 ✓ 699 ✓
 700 ✓ 701 ✓ 702 ✓ 703 ✓ 704 ✓ 705 ✓
 706 ✓ 707 ✓ 708 ✓ 709 ✓ 710 ✓ 711 ✓
 712 ✓ 713 ✓ 714 ✓ 715 ✓ 716 ✓ 717 ✓
 718 ✓ 719 ✓ 720 ✓ 721 ✓ 722 ✓ 723 ✓
 724 ✓ 725 ✓ 726 ✓ 727 ✓ 728 ✓ 729 ✓
 730 ✓ 731 ✓ 732 ✓ 733 ✓ 734 ✓ 735 ✓
 736 ✓ 737 ✓ 738 ✓ 739 ✓ 740 ✓ 741 ✓
 742 ✓ 743 ✓ 744 ✓ 745 ✓ 746 ✓ 747 ✓
 748 ✓ 749 ✓ 750 ✓ 751 ✓ 752 ✓ 753 ✓
 754 ✓ 755 ✓ 756 ✓ 757 ✓ 758 ✓ 759 ✓
 760 ✓ 761 ✓ 762 ✓ 763 ✓ 764 ✓ 765 ✓
 766 ✓ 767 ✓ 768 ✓ 769 ✓ 770 ✓ 771 ✓
 772 ✓ 773 ✓ 774 ✓ 775 ✓ 776 ✓ 777 ✓
 778 ✓ 779 ✓ 780 ✓ 781 ✓ 782 ✓ 783 ✓
 784 ✓ 785 ✓ 786 ✓ 787 ✓ 788 ✓ 789 ✓
 790 ✓ 791 ✓ 792 ✓ 793 ✓ 794 ✓ 795 ✓
 796 ✓ 797 ✓ 798 ✓ 799 ✓ 800 ✓ 801 ✓
 802 ✓ 803 ✓ 804 ✓ 805 ✓ 806 ✓ 807 ✓
 808 ✓ 809 ✓ 810 ✓ 811 ✓ 812 ✓ 813 ✓
 814 ✓ 815 ✓ 816 ✓ 817 ✓ 818 ✓ 819 ✓
 820 ✓ 821 ✓ 822 ✓ 823 ✓ 824 ✓ 825 ✓
 826 ✓ 827 ✓ 828 ✓ 829 ✓ 830 ✓ 831 ✓
 832 ✓ 833 ✓ 834 ✓ 835 ✓ 836 ✓ 837 ✓
 838 ✓ 839 ✓ 840 ✓ 841 ✓ 842 ✓ 843 ✓
 844 ✓ 845 ✓ 846 ✓ 847 ✓ 848 ✓ 849 ✓
 850 ✓ 851 ✓ 852 ✓ 853 ✓ 854 ✓ 855 ✓
 856 ✓ 857 ✓ 858 ✓ 859 ✓ 860 ✓ 861 ✓
 862 ✓ 863 ✓ 864 ✓ 865 ✓ 866 ✓ 867 ✓
 868 ✓ 869 ✓ 870 ✓ 871 ✓ 872 ✓ 873 ✓
 874 ✓ 875 ✓ 876 ✓ 877 ✓ 878 ✓ 879 ✓
 880 ✓ 881 ✓ 882 ✓ 883 ✓ 884 ✓ 885 ✓
 886 ✓ 887 ✓ 888 ✓ 889 ✓ 890 ✓ 891 ✓
 892 ✓ 893 ✓ 894 ✓ 895 ✓ 896 ✓ 897 ✓
 898 ✓ 899 ✓ 900 ✓ 901 ✓ 902 ✓ 903 ✓
 904 ✓ 905 ✓ 906 ✓ 907 ✓ 908 ✓ 909 ✓
 910 ✓ 911 ✓ 912 ✓ 913 ✓ 914 ✓ 915 ✓
 916 ✓ 917 ✓ 918 ✓ 919 ✓ 920 ✓ 921 ✓
 922 ✓ 923 ✓ 924 ✓ 925 ✓ 926 ✓ 927 ✓
 928 ✓ 929 ✓ 930 ✓ 931 ✓ 932 ✓ 933 ✓
 934 ✓ 935 ✓ 936 ✓ 937 ✓ 938 ✓ 939 ✓
 940 ✓ 941 ✓ 942 ✓ 943 ✓ 944 ✓ 945 ✓
 946 ✓ 947 ✓ 948 ✓ 949 ✓ 950 ✓ 951 ✓
 952 ✓ 953 ✓ 954 ✓ 955 ✓ 956 ✓ 957 ✓
 958 ✓ 959 ✓ 960 ✓ 961 ✓ 962 ✓ 963 ✓
 964 ✓ 965 ✓ 966 ✓ 967 ✓ 968 ✓ 969 ✓
 970 ✓ 971 ✓ 972 ✓ 973 ✓ 974 ✓ 975 ✓
 976 ✓ 977 ✓ 978 ✓ 979 ✓ 980 ✓ 981 ✓
 982 ✓ 983 ✓ 984 ✓ 985 ✓ 986 ✓ 987 ✓
 988 ✓ 989 ✓ 990 ✓ 991 ✓ 992 ✓ 993 ✓
 994 ✓ 995 ✓ 996 ✓ 997 ✓ 998 ✓ 999 ✓
 1000 ✓

2. 1/2 CRACK 1/2 PURE

211 ✓ 2164 ✓ 220 ✓ 228 ✓
 244 ✓ 265 ✓ 269 ✓ TYPE
 276 ✓ 277 ✓ 334 ✓ 422 ✓
 566 ✓ 604 ✓

3. CRACK

173 ✓ 207 ✓ 227 ✓ 49 ✓
 547 ✓ 557 ✓ 567 ✓
 635 ✓

Appendix II
Right Whale Vocalization: Examples of Types
by
Nicky Spencer

Right W' e Sound

Trip-Tape-Side-Counter

12503. 1 - 1 - 220

4kHz 8kHz Other: 2500 Hz

(circle one)

Use setup
SAMPLE RATE Hz

SUBROUTINE : UP CALL

Type Sound: FOR FAMILY : 1/2 crack 1/2 pure or half

Saved name (log#type#h.ctr)

c:\signal\rv\LS2 UPH144. 220

logfile: _____

Comments: _____

Standard Settings for files:

length: 3.5 seconds. scroll rate: 6.8 seconds.
spectral gain: -57.00 db spectral range: 11.0 db
8kHz: sample rate: 20,000 Hz frequency resolution: 39.1 Hz
4kHz: sample rate: 10,000 Hz frequency resolution: 19.5 Hz

freq as sound begins 113.28

ends 378.91

Duration 1.598 secs



Right Whale Sound

Tripp-Tape-Side-Counter

6-1-79

4kHz (8kHz) Other: _____
(circle one)

Type Sound: low tonal up call

Saved name (log#type#h.ctr)

c:\signal\rv\LS7LV-8h.229

logfile: FWC

Standard Settings for files:

length: 3.5 seconds. scroll rate: 6.8 seconds.

spectral gain: -57.00 db spectral range: 11.0 db

8kHz: sample rate: 20,000 Hz frequency resolution: 39.1 Hz

4kHz: sample rate: 10,000 Hz frequency resolution: 19.5 Hz

Comments: Ex type 2 log 31

freq/time
notation

TYPE call for 'up sweep' NS

6-1-79

low tonal up call

Trip-Tape-Side-Counter

111P-1 APC ONE COUNT
250B - 1 - 1 - 124

4kHz 8kHz Other: _____ Use: voice voice voice

4kHz 8kHz Other:

(circle one)

Type Sound: (2) - 100% Raw, Average

۲۰۰۰

_____ WILLIAMS _____

Amli. Row, AGRIC

12/11/11

۲۰۰۰

Type Sound

Saved name (log##type#h.ctr)

c:\signal\rw\ L42 BiA3 H 124

logfile:_____

Standard Settings for files:

length: 3.5 seconds. scroll rate: 6.8 seconds.

spectral gain: -57.00 db spectral range: 11.0 db

8 kHz; sample rate: 20 000 Hz frequency resolution: 39.1 Hz

4kHz: sample rate: 10 000 Hz frequency resolution: 19.5 Hz

Comments:

Saved name (log##type#h.ctr)

c:\signal\rw\ L42 Bi A 3 H 124

Right Whale Sound

Trip-Tape-Side-Counter

12503- 1 - 1 - 229

4kHz 8kHz Other: 2500 Hz

(circle one)

Type Sound: REC

SUBORDER UP CALL

FAMILY: SCOP

Saved name (log#type#h.ctr)

c:\signal\rw\LS4-USC1h.229

logfile: _____

Standard Settings for files:

length: 3.5 seconds. scroll rate: 6.8 seconds.

spectral gain: -57.00 db spectral range: 11.0 db

8kHz: sample rate: 20,000 Hz frequency resolution: 39.1 Hz

4kHz: sample rate: 10,000 Hz frequency resolution: 19.5 Hz

1 Hz 2500 Hz

Comments: _____

12503- 1 - 1 - 229

FAMILY: SCOP

freq | have notation:

///

freq begin : 179.69

freq end : 449.22

Duration : 0.914

Right Bale Sound

Trip-Tape-Side-Counter
1229 - 1-1-229

4kHz 8kHz Other: _____
(circle one)

Type Sound: low bale up call

Saved name (log#type#h.ctr)
c:\signal\rw\157 KC 4b.229

logfile: RWB

freq of time
notation



Standard Settings for files:

length: 3.5 seconds. scroll rate: 6.8 seconds.
spectral gain: -57.00 db spectral range: 11.0 db
8kHz: sample rate: 20,000 Hz frequency resolution: 39.1 Hz
4kHz: sample rate: 10,000 Hz frequency resolution: 19.5 Hz

Comments: eg type 2, log # 30

TYPE CALLS FOR 'UP CALLS' SCOP (KEY) - NS.

U

- 4

S₁ ~

~ ~ ~ ~ ~

3

3

Right Whale Sound

Trip-Tape-Side-Counter

- 1 - 1 - 195 146

4kHz 8kHz Other: (circle one)

Type Sound: slow up - call

Saved name (log#type#h.ctr)

c:\signal\rv\150 LVC 4h 195

logfile: RW1.b

Real time notation

TYPE FOR 'TOGETHER CALL' IN KEY. US. 2 CHIRPS

Standard Settings for files:

length: 3.5 seconds. scroll rate: 6.8 seconds.

spectral gain: -57.00 db spectral range: 11.0 db

8kHz: sample rate: 20,000 Hz frequency resolution: 39.1 Hz

4kHz: sample rate: 10,000 Hz frequency resolution: 19.5 Hz

Comments: pulsed or burst?

Right W le Sound

Trip-Tape-Side-Counter 220

4kHz 8kHz Other: _____
(circle one)

Type Sound: _____

Saved name (log#type#h.ctr)
c:\signal\rv\ L55 huc 8h.220

logfile: RW.6

Standard Settings for files:

length: 3.5 seconds. scroll rate: 6.8 seconds.
spectral gain: -57.00 db spectral range: 11.0 db
8kHz: sample rate: 20,000 Hz frequency resolution: 39.1 Hz
4kHz: sample rate: 10,000 Hz frequency resolution: 19.5 Hz

Comments: _____

log notation
TYPE call FOR UP CALL 1/2 CRABLE 1/2 PURE. AS
PREVIOUSLY. CLASSED AS FINE CALL. NOW AS UP CALL
UP. CRAB NOT BE CLOAKY, PURE OR 1/2 + 1/2 (on in this event)

Trip-Tape-Side-Counter

220

4kHz 8kHz Other: _____
(circle one)

Type Sound: up

Saved name (log#type#h.ctr)

c:\signal\raw\ LSS NUC 4h.220

logfile: RW.6

freq notation

Standard Settings for files:

length: 3.5 seconds. scroll rate: 6.8 seconds.
spectral gain: -57.00 db spectral range: 11.0 db
8kHz: sample rate: 20,000 Hz frequency resolution: 39.1 Hz
4kHz: sample rate: 10,000 Hz frequency resolution: 19.5 Hz

Comments:

CANCEL "VP" designation
Pulsing constant.

Pre/line TYPE CALL FOR UP CALL 1/2 crack 1/2 pulse. us.

PREVIOUSLY CLASSIFIED AS "FLC"

CALLS, NOW AS UP CALL

UP CALLS MAY BE ?

CRACK

PULSE

OR 1/2 + 1/2 (AS THIS TYPE)

OFF CALLS

TRACED

Right Whale Sound

Trip-Tape-Side-Counter
H2506-1-1-196 (195) CIR changes

4kHz 8kHz Other: 2500 Hz User setup
(circle one) SAMPLE RATE 412

Type Sound: fol SUBORDER: TOGETHER CALL
FAMILY: 2C11RRS

Saved name (log#type#h.ctr)
c:\signal\rw\1112TC1H.196

logfile: _____

Standard Settings for files:

length: 3.5 seconds. scroll rate: 6.8 seconds.
spectral gain: -57.00 db spectral range: 11.0 db
8kHz: sample rate: 20,000 Hz frequency resolution: 39.1 Hz
4kHz: sample rate: 10,000 Hz frequency resolution: 19.5 Hz

Comments: _____

TYPE: 2C11RRS
FAMILY: 2C11RRS

freq | time
selection

freq starts 1st sound begins: 308.59
freq " 1st sound ends: 417.97
freq " 2nd " begins: 414.08
" 2nd " ends: 410.16

Duration sound 1: 0.27 Secs.
" 2 0.327 Secs.

Right W' e Sound

Trip-Tape-Side-Counter

H2503 - 1 - 1 - 470

(468 CTC (HMMES))

Use (schup

4kHz 8kHz Other: 2500

(circle one)

SAMPLE RATE Hz

SUBSAMPLER: DOWN 1/4

Type Sound: ind

FAMM: brief

Saved name (log#type#h.ctr)

c:\signal\rw\ 24 QCH 1H 470

logfile: _____

Standard Settings for files:

length: 3.5 seconds. scroll rate: 6.8 seconds.

spectral gain: -57.00 db spectral range: 11.0 db

8kHz: sample rate: 20,000 Hz frequency resolution: 39.1 Hz

4kHz: sample rate: 10,000 Hz frequency resolution: 19.5 Hz

Comments: _____

11/11/88

FAMM: brief

1-11/11/88

freq / time resolution


1. Freq as sound begins : 859.38

2 " " " ends : 781.25

high - low.

Duration 0.811 secs.

clever on computer.



Right Whale Sound

Trip-Tape-Side-Counter
11506 1-1-273

4kHz 8kHz Other: _____
(circle one)

Type Sound: puuone

Saved name (log#type#h.ctf)
c:\signal\rw\663 RA 8H.273

logfile: PW.6

Standard Settings for files:

length: 3.5 seconds. scroll rate: 6.8 seconds.
spectral gain: -57.00 db spectral range: 11.0 db
8kHz: sample rate: 20,000 Hz frequency resolution: 39.1 Hz
4kHz: sample rate: 10,000 Hz frequency resolution: 19.5 Hz

Comments: Eg type 2 log 15

SUB INDEX: 000000


Reg/time notation
TYPE CALL FOR UNUSUALLY CALLS N3.

MAY BE CROAKY
PURE TONE
OR $\frac{1}{2} + \frac{1}{2}$

(AND CALL INCLUDE
MOST FULL DIFFUSE CALLS)

~~NOT ALL 7 ARE THE SAME AS~~
~~THIS SAMPLE IS CROAKY~~

6



Appendix III
Right Whale Vocalization: Examples of Type
Vocalizations used in Numeric Descriptions
by
Dara Wambach

Right Whale Sound

Trip-Tape-Side-Counter

1780-1-1-26101

4kHz, 8kHz, Other:

(circle one)

(circle one)
Type Sound: 3fr. cub (unmut)

Type Sound:

Saved name (log#type#h.ctr)

c:\signal\rwl\235(a8h, 2'94

logfile: PAY.6

Standard Settings for files:

length: 3.5 seconds. scroll rate: 6.8 seconds.

spectral gain: -57.00 db spectral range: 11.0 db

8kHz: sample rate: 20,000 Hz frequency resolution: 39.1 Hz

4kHz: sample rate: 10,000 Hz frequency resolution: 19.5 Hz

Comments:

James O'Neil

logfile: PAY.6

Right Whale Sound

Trip-Tape-Side-Counter

45 - 1 - 264

4kHz 8kHz Other:

(circle one)

Type Sound:

Saved name (log#type#h.ctr)

c:\signal\rw\c-35 & w\c-35

logfile: FW.b

Standard Settings for files:

length: 3.5 seconds. scroll rate: 6.8 seconds.

spectral gain: -57.00 db spectral range: 11.0 db

8kHz: sample rate: 20,000 Hz frequency resolution: 39.1 Hz

4kHz: sample rate: 10,000 Hz frequency resolution: 19.5 Hz

Comments: Relative to, SMC Nickel and Ti

2. 10. 2011

5

3

8. t.

2

4

5

Right Whale Sound

Trip-Tape-Side-Counter 281

4kHz (8kHz) Other: _____
(circle one)


Type Sound: _____

Saved name (log#type#h.cir)
c:\signal\rw\ LK95hC-281

logfile: LW6

Comments: _____

Figure 2, log #3



6-073

Trip-Tape-Side-Counter

4kHz 8kHz Other:

(circle one)

Type Sound: [

Saved name (log_##type#h.ctr)

c:\signal\rw\LBYS\7C4b78

logfile:

4kHz: sample rate: 10,000 Hz frequency resolution: 19.5 Hz

Comments:

Eigtype-2, lay 1

55

8

丁

Right Whale Sound

Trip Tape-Side-Counter 1271

4kHz 8kHz Other: _____
(circle one)

Type Sound: high tone

Saved name (log#type#h.ctr)
c:\signal\rw\261hlc'6h271

logfile: FW6

Standard Settings for files:

length: 3.5 seconds. scroll rate: 6.8 seconds.
spectral gain: -57.00 db spectral range: 11.0 db
8kHz: sample rate: 20,000 Hz frequency resolution: 39.1 Hz
4kHz: sample rate: 10,000 Hz frequency resolution: 19.5 Hz

Comments: Eg type 2, log 5 Note, collection on New Light Instruments
Fig 77 5-13

Fig 77 5-13
not here

MEAN FOR DOWN-VALUE (12.1) - NS

MAY BE CRANKY
PHONE
12-12
(AS TO THIS)
(EXAMPLE)
(NOT ALL FILES ARE CLASSIFIED AS DOWN)
EXAMPLE



Right Whale Sound

Trip-Tape-Side-Counter

12802-1-27

4kHz 8kHz Other: (circle one)

Type Sound: Ways to read

Saved name (log#type#h.ctr)

c:\signal\rw\12802\1-27

logfile: RWB

Per/line
action

Standard Settings for files:

length: 3.5 seconds. scroll rate: 6.8 seconds.
spectral gain: -57.00 db spectral range: 11.0 db
8kHz: sample rate: 20,000 Hz frequency resolution: 39.1 Hz
4kHz: sample rate: 10,000 Hz frequency resolution: 19.5 Hz

Comments:

this sound follows a similar
structure of short sound at the
beginning of a rich sequence. complex
vocalizations - note
slap

Eg type. 2 log. to note high frequency 4-11 Hz
log. to note low frequency 1-4 Hz

5.6

Type call - for 'Down call' (key)
MAY BE CLOAKY, PUNCTURE, OR 1/2 1/2
(as in this example)
(NOT ALL FULL CALLS ARE
CLASSIFIED AS DOWN CALLS)



Right Whale Sound

Trip-Tape-Side-Counter

1205 / 1-21819

4kHz 8kHz Other: _____
(circle one)

Type Sound: 11X med call

Saved name (log#type#h.ctr)

c:\signal\rw\1501\W12\8h.21819

logfile: RW.6

Standard Settings for files:

length: 3.5 seconds. scroll rate: 6.8 seconds.
spectral gain: -57.00 db spectral range: 11.0 db
8kHz: sample rate: 20,000 Hz frequency resolution: 39.1 Hz
4kHz: sample rate: 10,000 Hz frequency resolution: 19.5 Hz

Comments: Eg type 2, Log 7

Log 7



Trip-Tape-Side-Counter

218

4kHz) 8kHz Other: _____
(circle one)

Type Sound: Mikmod

Saved name (log#type#h.ctr)
c:\signal\rw\LS4\20141218

logfile: RW.6

length: 3.5 seconds. scroll rate: 6.8 seconds.
spectral gain: -57.00 db spectral range: 11.0 db
8kHz: sample rate: 20,000 Hz frequency resolution: 39.1 Hz
4kHz: sample rate: 10,000 Hz frequency resolution: 19.5 Hz

Comments: Eagle type 2 loc. & black water beetle been killed by top

[illegible]

Right Whale Sound

Trip-Tape-Side-Counter
125015-1-1-186

4kHz (8kHz) Other: _____
(circle one)

Type Sound: med. frequency
call all pulse tail

Saved name (log#type#h.ctf)
c:\signal\rw\1491 wiscash.186


logfile: 125015.6

Log 9

Standard Settings for files:

length: 3.5 seconds. scroll rate: 6.8 seconds.
spectral gain: -57.00 db spectral range: 11.0 db
8kHz: sample rate: 20,000 Hz frequency resolution: 39.1 Hz
4kHz: sample rate: 10,000 Hz frequency resolution: 19.5 Hz

Comments: 148 Wiscash tail
File 2 log 119



Right Whale Sound

Trip-Tape-Side-Counter

- 1 - 186

4kHz 8kHz Other: (circle one)

Type Sound: *modulated w/ 10% pulse*
(end)

Saved name (log#type#.chr)
 c:\signal\rw\49mca4h.186

logfile: *RW.10*

Standard Settings for files:


length: 3.5 seconds. scroll rate: 6.8 seconds.
 spectral gain: -57.00 db spectral range: 11.0 db
 8kHz: sample rate: 20,000 Hz frequency resolution: 39.1 Hz
 4kHz: sample rate: 10,000 Hz frequency resolution: 19.5 Hz

slap.

Comments: *tonal, modulated call w/*
end pulses
tr log is after pulse
Eq type 2 log 16

Aug 10

5.10



Appendix IV
Right Whale Vocalization: Numeric Description
by
Dara Wambach

Appendix III

The following describes preliminary use of the RTS sonagraphic system and the notation used in the examples of the numerical descriptions used in the accompanying log data work sheets.

Notes of sample Type Sounds and worksheet, September 6, 1993

*Words running off Page -
file not typed.doc
in word*

Logging-in Type sounds:

With the goal of using numeric frequency and time duration values to describe similarities and differences through RTS (see Engineering Design manual for establishing logfiles). Using the logfile c:\signal\eg points from RTS sound files which I had previously compiled in a blue right whale vocalization catalog most of the sample sounds I indicated on the printouts the points which were logged into egtype.2. The sound they represent, and with the order in which the information is prompted.

- 1 left end of primary element
- 2 highest point of primary
- 3 lowest point of primary
- 4 terminal (left) end of primary
- 5 right side of highest element of sound
- 6 highest level of sound
- 7 lowest point of top of sound
- 8 terminal end of highest sound element

When the location request was repetitive or didn't apply, I often hit Z for zero log. The marks on the potential for different high/low, etc.. assignments according to the frequency (4 or 8 kHz) at which the information recorded in Egtype.2 are the frequency of the saved file, the rw.6 log number (also an identifier sound file name), and type of sound. These entries represent the 20 query limit per logentry.

Converting logfile to EXCEL:

- *copy egtype.2 to egtype.5 (or something similar)
- *go into DOS to edit, removing header lines
- *bring file into word to create document and even-out all tab spacing (essential for converting log columns)
- *Pull rwtype2.doc into Excel, convert to rwtype2.xls
- *most recent file is b:\rwtype3.xls

In excel:

remove extraneous characters, name columns, make calculation columns for desired information

type notes

RWTYPE3.XLS

A B(1) C(1) D(1) E(1) F(1) G(1)

log #	time primbl	frq primbl	prihigh time	prihigh freq	prilow time	prilow freq
1	1.097	344	2.711	469	1.097	281
2	0.641	344	2.248	453	1.644	313
3	1.757	500	1.773	563	2.158	313
4	1.821	500	1.837	531	2.262	359
5	1.004	531	1.5	656	1.973	344
6	0.828	578	1.348	609	1.798	406
7	0.837	469	1.945	500	2.1	219
8	0.986	438	1.911	500	2.164	188
9	0.426	563	2.042	625	2.969	344
10	0.624	578	2.209	625	3.153	625
11	1.228	375	2.067	469	2.303	156
12	1.59	375	2.45	438	2.664	125
13	1.431	344	1.979	438	2.357	156
14	1.589	375	2.455	438	2.515	156
15	1.522	625	2.557	906	2.749	375
16	0.655	641	1.651	891	1.954	375
17	1.063	188	2.904	344	1.629	0
18	0.617	94	2.387	328	1.102	0
19	0.938	188	2.304	625	1.114	78
20	1.863	125	3.234	625	2.062	63
21	1.346	125	2.183	188	2.467	109
22	1.701	63	2.135	500	2.493	63
23	0.373	109	0	0	0	0
24	1.984	375	2.105	469	2.061	281
25	2.208	359	2.315	453	2.267	313
26	0.423	125	1.185	266	0.746	0
27	1.953	125	2.695	406	2.261	0
28	2.411	16	2.635	78	2.405	47
29	2.017	0	2.242	188	2.017	0
30	1.606	125	2.499	500	1.715	0
31	1.819	156	2.663	469	2.022	31
32	1.034	78	2.145	313	1.786	125
34	0.924	547	0.924	609	1.036	469

1. Connect Spreadsheet w/ catalogue sounds

- through rwtype3.xls column A log# which is recorded in red in comments section
- Also see column S for row log part of name
C:\Signal View\ L# xxx .

RWTYPE3.XLS

H (4) I (4) J (5) K (5) L (6) M (6)

prim right time	prime right freq	high left time	high left freq	time highest	freq highest
2.711	375	1.247	4594	1.787	4656
2.253	422	0.683	3969	0.699	3969
2.451	406	1.838	3938	2.082	4156
2.51	438	2.179	3984	2.179	3984
2.943	438	1.032	4688	1.68	4813
2.768	422	1.113	3969	1.113	3969
2.255	375	1.319	5375	1.319	5438
2.418	422	0.991	3984	0.991	3984
3.121	469	1.108	4313	1.628	4250
3.288	625	1.141	3969	1.141	3969
2.615	297	1.338	3594	1.458	3719
2.982	313	1.919	6094	1.919	6094
2.428	219	1.502	4188	1.612	4313
2.592	188	1.671	3797	1.852	3906
2.902	375	1.626	4344	2.497	4844
2.025	422	0.747	3984	0.747	3984
2.916	250	1.629	3344	2.4	3969
2.404	313	1.159	3500	1.667	3891
2.309	594	1.104	3984	1.104	3984
3.24	594	2.11	5156	2.242	5625
2.692	172	1.975	1984	0	0
2.71	313	1.93	4563	0	0
1.823	109	0.514	922	0.514	922
2.105	406	2.023	1719	2.045	1813
2.315	453	2.235	1750	0	0
1.778	0	1.01	359	1.262	406
2.779	375	2.436	531	2.719	1000
2.641	109	2.4	4000	0	0
2.248	94	2.022	7906	0	0
2.554	438	1.814	2094	2.082	2234
2.784	438	2	2094	2.137	2219
2.532	281	1.644	1406	2.156	1641
1.304	531	1.018	3063	1.018	3063

RWTYPE3.XLS

N (7) O (7) P S Q R S/T U

time
5/5/94 12:44

low high time	low high freq	time high right	freq high right	kHz	rw.6 log	type	prim length
1.488	4500	1.867	4656	8	35	full call	1.614
1.756	3750	1.756	3750	4	35	full call	1.612
2.218	3781	2.327	4125	8	69	full call	0.694
2.278	3797	2.334	3953	4	69	full call	0.689
1.838	4406	2.148	4156	8	61	full call	1.939
1.545	3688	1.77	3953	4	61	full call	1.94
1.38	5344	1.413	5344	8	54	full call	1.418
2.291	3984	2.291	3984	4	54	full call	1.432
1.336	4031	1.645	4250	8	49	full call	2.695
1.596	3594	1.821	3734	4	49	full call	2.664
2.023	3500	2.023	3500	4	53	tail call	1.387
1.919	6094	1.919	6094	8	53	tail call	1.392
1.54	4125	1.683	4250	8	34	tail call	0.997
1.677	3797	1.858	3906	4	34	tail call	1.003
1.687	3406	2.837	4219	8	63	fdif call	1.38
1.927	3984	1.927	3984	4	63	fdif call	1.37
2.761	3125	3.246	3625	8	36	fdif call	1.853
2.324	3156	2.723	3641	4	36	fdif call	1.787
1.216	3844	1.339	3891	4	28	blow	1.371
2.11	5156	2.242	5656	8	28	blow	1.377
0	0	2.287	2031	4	29	blow	1.346
0	0	2.106	4563	8	29	blow	1.009
0.897	594	1.527	594	4	21	low call	1.45
2.023	1688	2.045	1813	8	43	low call	0.121
0	0	2.256	1750	4	110	low call	0.107
1.125	313	1.24	375	4	173	low call	1.355
2.629	531	2.725	1031	8	173	low call	0.826
0	0	2.526	4000	4	456	slap	0.23
0	0	2.055	7906	8	456	slap	0.231
1.836	2094	2.104	2094	4	229	comp c	0.948
2.285	2125	2.345	2125	8	229	comp c	0.965
1.998	1328	2.232	1469	4	177	comp c	1.498
1.074	3016	1.074	3016	4	269	comp c	0.38

RWTYPE3.XLS

highest length	max freq range	when is primary lowest?	prim \bar{x} length by type
0.62	4375	0	
1.073	3656	1.003	
0.489	3843	0.401	
0.155	3625	0.441	
1.116	4469	0.969	
0.857	3563	0.97	
0.094	5219	1.263	
1.3	3796	1.178	
0.537	3906	2.543	full calls
0.68	3344	2.529	1.5697
0.685	3563	1.075	
0	5969	1.074	
0.181	4157	0.926	tailed calls
0.187	3750	0.926	1.19475
1.211	4469	1.227	
1.18	3609	1.299	
1.617	3969	0.566	full diffuse calls
1.564	3891	0.485	1.5975
0.235	3906	0.176	
0.132	5562	0.199	
0.312	1875	1.121	blows
0.176	4500	0.792	1.27575
1.013	922	no fluctuation	
0.022	1532	0.077	
0.021	1437	0.059	
0.23	406	0.323	low calls
0.289	1000	0.308	0.7718
0.126	3953	no fluctuation	slap
0.033	7906	no fluctuation	0.2305
0.29	2234	0.109	
0.345	2188	0.203	
0.588	1516	0.752	compact calls
0.056	2594	0.112	0.94775

7

prim x low freq	
full calls	
	339.2
tailed calls	
	148.25
full diffuse calls	
	187.5
blows	
	78.25
low calls	
	118.8
slap	
	23.5
compact calls	
	297

Appendix V
Right Whale Observation: Example H250

The following is a collation of a segment of an analyzed observation containing oriented elements of the top seven databases listed in figure 1. The oceanographic data in the form of CTD profiles was collected at a different location than the behavioral data. This preliminary listing is a facsimile of the raw data stream, a section of a 76 min. observation which demonstrates the display capabilities of this simplified approach to multivariable observations.

Header:

Date: 03-31-93

Time: 140356

LORAN: 13904.2/44030.0

Weather: gentle variable, 9°C., 2/10 hi

Vis: unlimited

Cruise: H250

CTD Data: attached verticals

ZPL Density @ sync time +345: 00956/m³

Data follows(relative time base; letters refer to individual a-c):

Time	Behavior	Vessel	Vocal	Orientation
0011	flu a	igear,0700		r=45m;b=150;h=320
0015	flu b			
0016	1/2flu c			
0025		ogear		
0027			up2	
0037		igear,0400		
0038			up2	
0039			lo3	
0043		ogear		04.0/30.8
0047			up2	
0051			up2?	
0067			up2	
0070			up1	
0074			up2	
0076			up2	
0079			lo3	
0083			up1	

0087		up2	
0090	swirl		
0099		up2 dist	
0105		up1,slp	
0109		up2	
0113		lo1	
0127		up? dist	
0145	swirl		
0159	igear,0500		04.0/30.9
0172	spt d		
0177	swirl		
0188	ogear		r=50m;b=240
0197		up? dist	
0223		up? dist	
0251		up? dist	
0260		lo1 dist?	
0288		up? dist	
0311	spt ?		
0311	spt a		
0312	spt c	igear 0900	r=130m;b=300;h=010;5kts,090
0315	rol r b		
0317	blog b		
0320	spt a	up? dist	r=35m;b=060;h=150
0325	spt b	ogear	
0326	blog a		
0329	elog a		
0332	bemb a-b		
0333	elog b;kik c?	up?dist	
0333	hup b		
0335	eemb a-b		
0337	spt b		
0345	spt a		
0349	rol r b		
0354			r=45m;b=100;h=?;03.8/30.8
0356	spt b	lo? dist	
0357	spt a		
0359	blog b		
0361	swirl	igear0500	
0364	spt a		
0364	spt c		
0365	spt b;arc c		
0389	flu b		
0397	flu a		
0320	arc c?		